

OEM  
GRUNDFOS-SARLIN®

# AUGER<sup>N.V.</sup>

## OEM GRUNDFOS-SARLIN



Kemelbeekstraat 30 - 2460 TIELEN - Belgium

T +32 (0)14 86 03 55 E info@auger.be W www.auger.be

▼ WE SEAL PUMPS!

# ▶ OVERZICHT SEALS

OEM  
GRUNDFOS-SARLIN®

## TYPE GR-S

Dimensions in millimeters

type	diameter	materiaal
GR-S	12	BQV
GR-S	12	UBE
GR-S	16	BQV
GR-S	16	UBE



## TYPE GR-1

Dimensions in millimeters

type	diameter	materiaal
GR-1	12	QQE
GR-1	16	QQE
GR-1	18	QQE



## TYPE GR-2

Dimensions in millimeters

type	diameter	materiaal
GR-2	22	QQE



## TYPE GR-3

Dimensions in millimeters

type	diameter
GR-3	12
GR-3	16



## TYPE GR-4

Dimensions in millimeters

type	diameter
GR-4	15
GR-4	22
GR-4	28
GR-4	32
GR-4	33
GR-4	38
GR-4	45
GR-4	48
GR-4	65



**AUGER**<sub>N.V.</sub>

Kemelbeekstraat 30 - 2460 TIELEN - Belgium

T +32 (0)14 86 03 55 E info@auger.be W www.auger.be

# ▶ OVERZICHT SEALS

OEM  
GRUNDFOS-SARLIN®

## TYPE GS-INF

Dimensions in millimeters


type	diameter	materiaal
GS-INF	32	QQV
GS-INF	38	QQV
GS-INF	65	QQP



## TYPE GS-SUP

Dimensions in millimeters

type	diameter	materiaal
GS-SUP	30	BQV
GS-SUP	38	QQP
GS-SUP	50	BQV
GS-SUP	65	BQV



## TYPE: SET GSA-B-C QQV-QV-BV

Dimensions in millimeters

type	diameter	materiaal
A	16	QQV
B	25	QV
C	35	BV



## Equivalent voor Grundfos Cartridge Seal

Dimensions in millimeters

type	diameter	materiaal
GR-CAR	12	QQE
GR-CAR	12	QQV
GR-CAR	16	QQE
GR-CAR	16	QQV
GR-CAR	22	QQE
GR-CAR	22	QQV



**AUGER**<sub>N.V.</sub>

Kemelbeekstraat 30 - 2460 TIELEN - Belgium

T +32 (0)14 86 03 55 E info@auger.be W www.auger.be